PATONS

No 169

PRICE CODE G

machine knits 2

new collection of family fashions

PATONS

machine knits 2

A further collection of designs for the family including fashions for grown-ups, smart junior styles, and an adorable dress and jacket for baby. Using a selection of Patons qualities which work up perfectly on the machine, and specially to delight the young set, a dreamy party dress in Fuzzy-Wuzzy.

CONTENTS

	Instructions start on page
Lace Panel Cardigan	2
Fuzzy-Wuzzy Dress	4
Two-colour Dress	4
Child's Dress with picots	7
Child's trellis border Cardigan	9
Baby's Dress and Jacket	10
Dress and Sleeveless Cardigan	13
Childrens Classic Sweaters	14
His Sports Sweater	16
Her Country Jacket	18
Short-sleeved Sweater	21
Man's colour-pattern Waistcoat	22
Boy's V-neck Slipover	23
Two-colour Trouser Suit	24
Man's V-neck Slipover	27
Lace-rib Bedjacket	28
Rib and Cable Dress	30

Abbreviations
W.P.=Working Position; N.W.P.=Non Working Position; R.P.=Rest Position.

K.=knit; P.=purl; st.=stitch; tog.=together; inc.=increase; dec.=decrease; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern: in.=inches; cm=centimetres.

L.=Light; D.=Dark; G.S.=Ground Shade; 1st. C.=1st Contrast; 2nd C.=2nd Contrast; 3rd C.=3rd Contrast; M.=Main Shade; C.=Contrast; Ch.=chain; d.c.=double crochet.

You must use the Patons brands recommended to be sure of a successful result.

These garments have been specially designed for the sizes given and it is regretted that no other adaptations are available.

A popular classic

lace motif panels add a touch of interest to this wearable design

To fit bust	in.	32	**34**	36	**38**	40
Length at centre back (adjustable)	in.	22½	**23**	23½	**24**	24½
Sleeve seam (adjustable)	in.	17	**17**	17	**17**	17
Patons Fiona	× 50 gram balls	7	**8**	9	**10**	10

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand. 7 buttons.

Tension
6 sts. to 1 inch measured over stocking stitch on main tension.

See this page for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the **34,** 36, **38** and 40 sizes.

BACK

Set tension 2 sizes finer than main tension.

Cast on 100 [**108,** 116, **124,** 132] sts.

Work in single rib for 20 rows, or alternatively, rib by hand on No. 11 needles.

Change to main tension and work in stocking stitch until work measures 14½ in. from start (adjust length here).

Shape raglan armholes
Cast off 5 [**5,** 6, **6,** 7] sts. at beg. of next 2 rows.

Using the single transfer tool, dec. 1 st. at each end of next and every alt. row until 24 [**28,** 30, **34,** 36] sts. remain.

Work 1 row.

Cast off.

RIGHT FRONT

Set tension 2 sizes finer than main tension.

Cast on 46 [**50,** 54, **58,** 62] sts.

Work in single rib for 20 rows.

In the following patt., holes are made by transferring the appropriate stitch on to the adjacent hook, leaving the latchet in work to remake on the next row.

Change to main tension and stocking stitch with patt. at front edge.

Counting from front edge, make a hole on 4th and 14th sts., work across and back.

Counting from front edge, make a hole on 5th and 13th sts., work across and back.

Counting from front edge, make a hole on 6th and 12th sts., work across and back.

Counting from front edge, make a hole on 7th and 11th sts., work across and back.

Counting from front edge, make a hole on 8th and 10th sts., work across and back.

Counting from front edge, make a hole on 9th st., work across and back.

Work 4 rows without holes.

These 16 rows form the patt.

Rep. them 5 times more.

Continue in stocking stitch until work matches Back to armhole shaping, finishing at front edge.

Using the single transfer tool, **shape front slope and raglan** as follows:—

Next row—Dec. 1 st. at beg. of row, work to end.

Next row—Cast off 5 [**5,** 6, **6,** 7], work to end.

Now dec. 1 st. at armhole edge on next and every alt. row, **at the same time** dec. 1 st. at front edge on every following 10th [**9th,** 9th, **7th,** 7th] row from previous dec. until 10 [**6,** 3, **6,** 5] sts. remain.

Continue dec. at armhole edge only until 2 [**2,** 2, **2,** 2] sts. remain.

Work 1 row.

Cast off.

LEFT FRONT

Work to match Right Front reversing all shapings.

SLEEVES

Set tension 2 sizes finer than main tension.

Cast on 53 [**55,** 59, **63,** 67] sts.

Work in single rib for 20 rows.

Change to main tension

Work in stocking stitch, with the 11 centre sts. worked in patt. as on Right Front, **at the same time** inc. 1 st. at each end of every 6th row until there are 85 [**89,** 93, **97,** 101] sts.

Noting that when 6 patts. **in all** have been worked, remainder of sleeve will be worked in stocking stitch, continue until sleeve seam measures 17 in. from start (adjust length here).

Shape top

Cast off 5 [**5,** 6, **6,** 7] sts. at beg. of next 2 rows.

Using the single transfer tool, dec. 1 st. at each end of next and every alt. row until 9 [**9,** 7, **7,** 5] sts. remain.

Work 1 row.

Cast off.

TO MAKE UP

Block and press each piece lightly following instructions on the ball band, omitting ribbing. Using a flat seam for ribbing and a fine back-stitch seam for remainder, join side and sleeve seams and stitch Sleeves in position.

FACING STRIP

Set tension 2 sizes finer than main tension.

Cast on 11 sts.

Work 2 rows in rib.

Work a buttonhole by casting off 3 centre sts. on next row and casting on 3 sts. on following row.

Continue in this way, repeating buttonholes at regular intervals until 7 buttonholes **in all** have been worked (7th buttonhole at start of front shaping).

Continue without buttonholes until strip fits up Right Front, round back of neck and down Left Front when slightly stretched.

Cast off.

Stitch Facing in position. Press seams. Sew on buttons.

Softly textured

young trend's favourite party look

To fit bust		in.	34	36	38
Length from top of shoulders (adjustable from lower edge to armhole)		in.	32	32½	33
Sleeve seam (adjustable)		in.	5	5	5
Patons Fuzzy-Wuzzy	× 10 gram balls		26	29	32

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand. 4 buttons.

Tension
7½ sts. to 1 inch, measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the medium and large sizes.

BACK

Using 2 sizes finer than main tension, cast on 148 [156, 164] sts.

Work in stocking stitch for 20 rows.

Make a hem by picking up cast on loops and placing them on their corresponding latchet hook.

Zero row counter.

Change to main tension.

Work 40 rows in stocking stitch.

Decs. are worked on rows 41, 61, 81, 101 and 121 thus, with 19 rows of stocking stitch in between.

Dec. 1 st. on both sides of 10 centre sts., moving the remaining sts. towards the centre 10 sts. to fill the gap and on the same row dec. 1 st. at both ends of row.

Thus 4 sts. are dec. on every dec. row.

After dec. row 121 has been worked, there will be 128 [136, 144] sts.

Continue without further shaping until work measures 25 in. from lower edge (adjust length here).

Shape armholes by casting off 4 sts. at beg. of next 2 rows **.
Dec. 1 st. at each end of next and every alt. row until 86 [90, 94] sts. remain.

Continue on these sts. until work measures 32 [32½, 33] in. from lower edge.

Shape shoulders by casting off 8 [9, 10] sts. at beg. of next 2 rows, 9 [9, 9] sts. at beg. of next 4 rows.

Cast off remaining 34 [36, 38] sts.

FRONT

Work as Back to **.

Place centre 10 sts. on a thread and divide remaining sts. so that there will be 55 [59, 63] on each side.

Proceed on first group of sts. as follows:—

Dec. 1 st. at armhole edge on next and every alt. row until 38 [40, 42] sts. remain. Continue on these sts. until work measures 30 [30½, 31] in. from lower edge, ending at neck edge.

Shape neck by casting off 5 [6, 7] sts. at beg. of next row, then dec. 1 st. at neck edge on every alt. row until 26 [27, 28] sts. remain.

Continue on these sts. until work matches Back to shoulder shaping, ending at armhole edge.

Shape shoulders by casting off 8 [9, 10] sts. at beg. of next row, 9 [9, 9] sts. at beg. of next 2 alt. rows.

Rejoin yarn to remaining group of sts. and work to match first half reversing all shapings.

SLEEVES

Using 2 sizes finer than main tension, cast on 76 [78, 80] sts.

Work in stocking stitch for 20 rows, then **make hem** as on Back.

Change to main tension.

Continue in stocking stitch, inc. 1 st.

continued on page 6

Pretty in two colours

simple but flattering for the day scene

To fit bust		in.	33–34	35–36	37–38	39–40
Length from top of shoulders		in.	34	35	36½	37½
Sleeve seam		in.	16	16	16	16
Patons Purple Heather 4 ply or **Patons Trident 4 ply**						
Main Shade	× 25 gram balls		15	16	17	18
Contrast	× 25 gram balls		4	5	6	7

Crochet hook. 3 buttons.

Tension
7 sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

BACK

Working at 2 sizes finer than main tension and M.S. cast on 140 [146, 152, 158] sts. and work 9 rows in stocking stitch.

Work picot edge in C. as follows:—
Push 3rd, 6th, 9th needles etc. into R.P. and work 4 rows.

Break C.

Return all needles into W.P. with M.S., work 11 rows in stocking stitch. **Make hem** by placing cast-on sts. to corresponding needles.

Change to main tension and work 8 rows stocking stitch.

continued on page 6





Softly textured

continued from page 4

at each end of every 4th row until there are 92 [94, 96] sts.

Continue without further shaping until sleeve seam measures 5 in. from lower edge (adjust length here).

Shape top by casting off 4 [4, 4] sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next and every alt. row until 48 [44, 44] sts. remain, then every row until 24 [24, 24] sts. remain. Cast off 4 sts. at beg. of next 4 rows. Cast off remaining 8 sts.

RIGHT FACING STRIP

Work either by machine or by hand on No. 11 needles.

Pick up sts. from thread at centre front inc. 1 st. (11 sts.), tension 2 sizes finer than main tension.

Work in single rib, with 4 buttonholes evenly spaced from this point to commencement of neck shaping, 4th buttonhole to be at the top of strip, working buttonholes over centre 3 sts.

Slip sts. on a thread.

LEFT FACING STRIP

Cast on 11 sts. and omitting buttonholes, work to match right facing strip. Slip sts. on a thread.

TO MAKE UP

With right side facing, block each piece and steam press by holding a wet cloth 1 inch above surface of fabric and running a hot iron over surface of cloth. Using a fine back-stitch seam join shoulder, side and sleeve seams and stitch Sleeves in position. Press seams.

COLLAR

Work in rib either by machine on ribbing tension or by hand on No. 11 needles.

With wrong side of work facing, pick up from thread 11 sts. from top of Left Facing Strip.

Pick up sts. evenly round inside of neck, ending with the 11 sts. from top of Right Facing Strip. (Approx. 111 [113, 117] sts.).

Work in rib, inc. 1 st. inside the 11 sts. from facings on every alt. row, moving these sts. out to make room on each side.

Continue in this way for $3\frac{3}{4}$ in.

Cast off loosely in rib.

Sew on buttons.

Pretty in two colours

continued from page 4

Work in 2 colour patt. as follows:—**1st to 4th row**—From right to left, push 5th and every following 6th needle into R.P., ending with 3 W.P. In C. work all across.

5th and 6th rows—All needles in W.P., in M.S., work all across. **7th to 10th row**—From right to left, push 2nd and every following 6th needle into W.P., ending with 6 W.P. in C., work all across.

11th and 12th rows—All needles in W.P., in M.S., work all across. **13th to 16th row**—As 1st to 4th.

Return all needles to W.P. Break C.

With M.S. continue in stocking stitch until Back measures 8 [9, 10, 11] in. at centre.

Shape sides by dec. 1 st. at each end of next and every following 12th [12th, 18th, 18th] row until 122 [128, 140, 146] sts. remain.

Continue on these sts. until Back measures $19\frac{1}{2}$ [20, 21, $21\frac{1}{2}$] in. at centre.

Continue in stripes of 2 colour patt. and stocking stitch as follows:—

** Work 16 rows of patt., then $1\frac{1}{2}$ in. of stocking stitch in M.S. **

Rep. from ** to ** once more, then work 16 rows of patt. again (27 [$27\frac{1}{2}$, $28\frac{1}{2}$, 29] in.)



Keeping patt. correct, **shape armholes** by casting off 6 [7, 8, 9] sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 86 [90, 94, 98] sts. remain.

Work 2 rows straight.

Dec. 1 st. at right side **only** *** (85 [89, 93, 97] sts.).

Continue on these sts. until Back measures 34 [35, $36\frac{1}{2}$, $37\frac{1}{2}$] in. from start.

Shape shoulders by casting off 8 [8, 8, 9] sts. at beg. of next 4 rows then 7 [8, 9, 8] sts. at beg. of following 2 rows.

Cast off.

FRONT

Work as for Back to *** (85 [89, 93, 97] sts.).

Continue on these sts. until Front measures $31\frac{1}{2}$ [$32\frac{1}{2}$, 34, 35] in. at centre.

Shape neck.

Cast off centre 25 [27, 29, 31] sts. and work on **each** group of 30 [31, 32, 33] sts. as follows:—

Dec. 1 st. at neck edge on next and every alt. row until 23 [24, 25, 26] sts. remain.

Continue on these sts. until Front matches Back at armhole edge, ending at this edge.

Shape shoulders by casting off 8 [8, 8, 9] sts. at beg. of next and following alt. row. Work 1 row. Cast off.

SLEEVES

Working 2 sizes finer than main tension and M.S., cast on 56 [56, 62, 62] sts., and **work hem** as for Back.

Change to main tension and work in stripe patt., starting with $1\frac{1}{2}$ in. of stocking stitch, then 16 rows of 2 colour patt. as for Back, **shaping sides** by inc. 1 st. at each end of 16th [20th, 20th, 16th] row following and every following 7th [6th, 6th, 6th] row until there are 92 [96, 100, 104] sts.

Continue on these sts. until the 16th row of the 5th complete 2 colour patt. has been worked.

Keeping stripes correct, **shape top** by casting off 6 [7, 8, 9] sts. at beg. of next 2 rows.

continued on page 31

A nursery favourite

picot trims decorate this simple tunic style dress

To fit chest	in.	22–23	24–25	26–27
Length at centre back	in.	16½	18½	20½
Sleeve seam	in.	8½	10½	12½
Patons Purple Heather 4 ply or **Patons Trident 4 ply**				
Main Shade	× 25 gram balls	7	8	9
Contrast	× 25 gram balls	2	2	3

No. 3·00 mm (11) Crochet hook. 3 buttons.

Tension

6½ sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes

The figures in square brackets [ ] refer to the medium and large sizes.

BACK

Working at 2 sizes finer than main tension, cast on 99 [107, 115] sts. in C.

Work picot edge as follows:— Work 3 rows.

Put 2nd, 4th, 6th needles etc. into N.W.P. transferring sts. onto adjacent needles.

Work 1 row. Bring all needles into W.P. and work 6 rows.

Break C.

With M. **make hem.**

Change to main tension and work 12 rows in M.

Work as follows:— ** Work 3 rows in C.

Put 2nd, 4th, 6th needles etc. into N.W.P. transferring sts. onto adjacent needles. Work 1 row in C.

Bring all needles into W.P. and work 4 rows in C.

With M., **make hem** by picking up loop of last row worked in M. (thus forming picot frill).

Work 13 rows in M., dec. 1 st. at each end of 4th and 11th rows **.

Rep. from ** to ** 1 [2, 3] times more (91 [95, 99] sts.).

Work picot frill again. Break C.

Continue in M., dec. 1 st. at each end of 2nd [4th, 8th] row, then every following 8th [10th, 14th] row until 77 [85, 93] sts. remain.

Work straight until Back measures 11 [12½, 14] in. from start.

Shape raglans by casting off 1 st. at beg. of next 2 rows, then dec. 1 st. at each end of 3rd and every following 4th row until 65 [75, 83] sts. remain. Work 1 row ***.

Divide for back opening as follows:— Put last 33 [38, 42] sts. into R.P. and work on first group of sts. by dec. 1 st. at raglan edge on next and every alt. row until 13 [14, 15] sts. remain. Work 1 row. Cast off.

Rejoin yarn and cast off centre stitch.

Finish to correspond with first side.

FRONT

Work as Back to ***.

Dec. 1 st. at each end of next and every alt. row until 41 [45, 49] sts. remain.

Shape neck as follows:— Put last 28 [30, 32] sts. into R.P. and work 1 row on remaining sts.

Now dec. 1 st. at each end of next and every alt. row until 5 sts. remain.

Now keep neck edge straight, and continue dec. at raglan edge **only** until 2 sts. remain. Work 2 tog.

Fasten off.

Rejoin yarn and cast off centre 15 sts. Finish to correspond with first side.

SLEEVES

Working at 2 sizes finer than main tension, cast on 33 [35, 37] sts. in C. and work picot edge as for Back.

Break C.

Change to main tension and continue in M., shaping sides by inc. 1 st. at each end of 5th [5th, 7th] row, then every following 6th [7th, 7th] row until there are 55 [61, 67] sts.

Work straight until sleeve seam measures 8½ [10½, 12½] in. from start.

Shape top by casting off 1 st. at beg. of next 2 rows, then dec. 1 st. at each end of 3rd and every following 4th row until 43 [51, 57] sts. remain.

Now dec. 1 st. at each end of every following alt. row until 5 sts. remain.

Work 1 row. Cast off.

TO MAKE UP AND NECK BORDER

Block and press each piece on wrong side, following instructions on the ball band.

Using a fine back-stitch seam join raglan, side and sleeve seams.

With right side facing and M., work 1 row d.c. all round neck edge.

Work 2 rows down each side of back opening, working 3 buttonloops evenly spaced down right side. Break M.

With C., work 3 rows d.c. round neck edge.

Work picots as follows:— * 1 d.c. in 1 d.c., 4 ch., 1 d.c. in 1st of these 4 ch., 1 d.c. in 1 d.c.; rep. from * to end.

Fasten off. Press seams. Sew on buttons.

Junior choice

a pretty little cardigan with trellis borders

To fit chest/bust	in.	22	**24**	26	**28**	30	**32**
Length at centre back (adjustable)	in.	12½	**14**	15½	**17**	18½	**20**
Sleeve seam (adjustable)	in.	7½	**8½**	10	**11½**	13	**14½**
Patons Fiona	× 50 gram balls	3	**3**	4	**4**	5	**5**

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand. 7 [**7,** 8, **8,** 9, **9**] buttons.

Tension
6 sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the **24,** 26, **28,** 30 and **32** sizes.

BACK

Set tension 1 size finer than main tension.

Cast on 64 [**70,** 76, **82,** 88, **94**] sts.

Work 6 rows in stocking stitch.

Make hem by picking up each loop from cast-on edge and placing it on the appropriate latchet, work 1 row.

Change to main tension

Work in open-work patt. thus:—Transfer the 2nd, 4th, 6th, 8th, 10th sts. etc. to the right, leaving the empty needle in working position.

Knit 2 rows.

Transfer the 3rd, 5th, 7th, 9th, 11th sts. etc. to the right, leaving the empty needles in working position.

Knit 2 rows.

These 4 rows form the patt.

Rep. them 4 times more.

Inc. row—Take work from machine. Bring 8 extra needles into W.P. (72 [**78,** 84, **90,** 96, **102**] **in all**) replace work on to these needles, inc. evenly across the row.

Continue in stocking stitch until work measures 7½ [**8½,** 9½, **10½,** 11½, **12½**] in. from the lower edge (adjust length here).

Commence raglan shapings by casting off 3 [**3,** 4, **4,** 5, **5**] sts. at beg. of next 2 rows.

Using single transfer tool, dec. 1 st. at each end of next and every alt. row until 28 [**30,** 30, **32,** 32, **34**] sts. remain. Work 1 row. Cast off.

RIGHT FRONT

Set tension 1 size finer than main tension.

Cast on 30 [**33,** 36, **39,** 42, **45**] sts.
Work 6 rows in stocking stitch.

Make hem as on Back and work 1 row.

Change to main tension
Work 20 rows in patt. as for Back.
Inc. row—Take work from machine. Bring 4 extra needles into W.P. (34 [**37,** 40, **43,** 46, **49**] **in all**), replace work on these needles, inc. evenly across the row.

Continue in stocking stitch until work measures the same as Back to start of raglan shaping, ending at armhole edge.

Cast off 3 [**3,** 4, **4,** 5, **5**] sts. at beg. of next row.

Using single transfer tool, dec. 1 st. at armhole edge on next and every alt. row until there are 17 [**19,** 19, **21,** 21, **23**] sts. ending at neck edge.

Cast off 5 sts. at beg. of next row **(all sizes).**

Keeping raglan correct, dec. 1 st. at neck edge on every alt. row until 2 sts. remain. Cast off.

LEFT FRONT

Work to match Right Front reversing all shapings.

SLEEVES

Set tension 1 size finer than main tension.

Cast on 34 [**36,** 40, **42,** 44, **46**] sts.

Work 6 rows in stocking stitch.

Make hem as on Back and work 1 row.

Change to main tension
Work 20 rows in patt. as on Back.
Inc. row—Using 10 extra needles, inc. as on Back (44 [**46,** 50, **52,** 54, **56**] sts. **in all**).

Change to stocking stitch, inc. 1 st. at each end of next and every following 10th [**10th,** 10th, **9th,** 8th, **8th**] row until there are 52 [**56,** 62, **68,** 74, **78**] sts.

Continue on these sts. until sleeve seam measures 7½ [**8½,** 10, **11½,** 13, **14½**] in. from lower edge (adjust length here).

Cast off 3 [**3,** 4, **4,** 5, **5**] sts. at beg. of next 2 rows.

Using single transfer tool, dec. 1 st. at each end of next and every alt. row until 8 [**8,** 8, **10,** 10, **10**] sts. remain.

Work 1 row. Cast off.

TO MAKE UP

Block and press each piece lightly on wrong side following instructions on the ball band. Using a fine back-stitch seam, join side and sleeve seams and stitch Sleeves in position.

LEFT FRONT BAND

Cast on 11 sts. and work in K.1, P.1, rib until Band fits up Left Front to start of neck shaping, slightly stretched. Place sts. on spare needle.
Stitch in position.

RIGHT FRONT BAND

Cast on 11 sts. and rib for 2 rows.

Mark centre 3 sts. on next row with coloured yarn for buttonhole.

Continue in rib, marking 5 [**5,** 6, **6,** 7, **7**] more buttonholes evenly spaced, the last buttonhole approximately 1¼ in. down from start of neck shaping.

Continue in rib until Band measures same as Left Front Band.

Place sts. on spare needle.

Stitch in position.

NECKBAND

With right side of work facing, commence with Right Front Band (11 sts.) picking up sts. round neck finishing with 11 sts, from Left Front Band (93 [**99,** 99, **105,** 105, **111**] sts.).

Work in rib for approximately ¾ inch.

Work last buttonhole, then rib for 3 rows.

Cast off loosely.

Remove coloured yarn and stitch round buttonholes.

Press seams. Sew on buttons.

Tiny two-some

an adorable dress and jacket with a delicate lacy motif

DRESS		
To fit chest	in.	18–19
Length	in.	13½
Sleeve seam	in.	1
Patons Baby 4 ply Pure Wool	× 25 gram balls	4
JACKET		
To fit chest	in.	18–19
Length	in.	11½
Sleeve seam	in.	5
Patons Baby 4 ply Pure Wool	× 25 gram balls	4

Two No. 12 BEEHIVE or MILWARD DISC needles measured by BEEHIVE gauge. 3 buttons for Dress. 4 for Coat. Crochet hook. 2 stitch-holders.

Tension
7¼ sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

DRESS

FRONT

** Working at 1 size finer than main tension, cast on 97 sts. and work 5 rows.

Transfer 2nd st. on to 3rd needle, 4th st. on to 5th needle etc., leave empty needles in N.W.P. and work 1 row.

Bring all needles into W.P. and work 7 rows. **Make hem.**

Change to main tension and work 3 rows, inc. 1 st. at beg. of 1st row (98 sts.).

Working from left to right, work border patt. as follows:—

Transfer 4th st. on to 5th needle, 11th st. on to 12th needle, 18th st. on to 19th needle etc. leaving empty needles in N.W.P.

Work 2 rows.

Transfer 3rd st. on to 2nd needle, 5th st. on to 6th needle, 10th st. on to 9th needle, 12th st. on to 13th needle etc. leaving empty needles in N.W.P., work 2 rows.

Insert latch tool behind each set of loops and pick up the lower loop (4th), place it on the centre needle of each group of 3 left in N.W.P.

Bring all needles into W.P. and work 4 rows.

These 8 rows form patt. **

Continue in stocking stitch with patt. panels, **shaping sides** as follows:—

Work from centre and transfer 11th st. on to 10th needle on left side and 11th st. on to 12th needle on right side, leave empty needles in N.W.P., and dec. 1 st. at each end of next row.

Work 2 rows.

Transfer 12th st. on to 13th needle and 10th st. on to 9th needle on left side 10th st. on to 9th needle and 12th st. on to 13th needle on right side, leave empty needles in N.W.P.

Work 2 rows.

Insert latch tool behind each set of loops and pick up the lower loop, place it on the centre needle of the 3 left in N.W.P.

Bring all needles into W.P. and work 4 rows, dec. 1 st. at each end of 3rd row. Keeping patt. panel correct, continue shaping sides by dec. 1 st. at each end of every 6th row from previous dec. until 74 sts. remain.

Work straight until Front measures 9¾ in.

Shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 50 sts. remain.

Work straight until Front measures 12¼ in.

Shape neck as follows:—

Place last 31 sts. in R.P. Work 1 row straight.

Dec. 1 st. at neck edge on next and every alt. row until 14 sts. remain.

Work a few rows straight until Front measures 13½ in., ending at armhole edge.

Shape shoulder by casting off 7 sts. at beg. of next and following alt. row.

Leaving centre 12 sts. in R.P., rejoin yarn to remaining sts. and work to correspond with first side. Slip centre 12 sts. on stitch-holder.

BACK

Work as for Front from ** to **.

Continue in stocking stitch, **shaping sides** by dec. 1 st. at each end of next and every following 6th row until 74 sts. remain.

Work straight until Back matches Front at side edge.

Shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 50 sts. remain.

Work straight until Back matches Front at armhole edge.

Shape shoulders by casting off 7 sts. at beg. of next 4 rows. Slip remaining 22 sts. on stitch-holder.

SLEEVES

Working at 1 size finer than main tension, cast on 41 sts. and **work picot hem** as for Front.

Change to main tension and stocking stitch, inc. 1 st. at each end of next 5 rows (51 sts.).

Shape top by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 27 sts. remain.

Cast off 3 sts. at beg. of next 6 rows.

Cast off remaining 9 sts.

TO MAKE UP AND NECK BORDER

Block and press each piece on wrong side following instructions on the ball band. Using a fine back-stitch seam join right shoulder seam.

With right side facing and No. 12 needles, start at left shoulder on Front and work as follows:—

Pick up and K.12 sts. down left side of neck, K. sts. on stitch-holder, pick up and K.12 sts. up right side, K. sts. on stitch-holder (58 sts.). K.6 rows.

Cast off.

Using a fine back-stitch seam join side and sleeve seams, insert sleeves.

Work 1 row double crochet along edges of left shoulder, then work 3 buttonloops evenly spaced on front shoulder. Sew on buttons to correspond. Press seams.

COAT

BACK

Work as for Front of Dress from ** to **.

Continue in stocking stitch, dec. 1 st. at each end of next and every following 6th row until 78 sts. remain.
Work straight until Back measures 7½ in.

Shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 52 sts. remain.

Work straight until Back measures 11½ in.

Shape shoulders by casting off 8 sts. at beg. of next 2 rows, 7 sts. at beg. of following 2 rows. Slip remaining 22 sts. on stitch-holder.

LEFT FRONT

Working at 1 size finer than main tension, cast on 49 sts. and **work picot hem.**

Change to main tension and work 3 rows. Work 8 rows in patt.
Work in stocking stitch and panel patt. dec. 1 st. at side edge on next and every following 6th row until 39 sts. remain, placing patt. panel as follows:—
Working from right side, transfer 11th st. on to 10th needle. Work 2 rows. Transfer 12th st. on to 13th needle and 10th st. on to 9th needle. Work 2 rows. Continue on 39 sts. until Front matches Back at side edge, finishing with lock at left.

Shape armhole by casting off 3 sts. at beg. of next row, then dec. 1 st. at armhole edge on every alt. row until 26 sts. remain.

continued on page 19

Two-way fashion

smart dress teams with a long-line sleeveless cardigan

SLEEVELESS CARDIGAN

To fit bust	in.	34	**36**	38	**40**	42
Length at centre back excluding facing band (adjustable from lower edge)	in.	26	**26½**	27	**28**	28½
Patons Purple Heather 4 ply or **Patons Trident 4 ply**						
Main Shade	× 25 gram balls	7	**8**	9	**11**	12
Contrast	× 25 gram balls	6	**7**	8	**9**	11

Two No. 13 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.

Tension
7 sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the **36,** 38, **40** and 42 sizes.

BACK

Set tension 2 sizes finer than main tension.

Cast on 126 [**132,** 140, **146,** 154] sts. in Main Shade, and work 10 rows in single rib, or alternatively rib by hand on No. 13 needles. Zero row counter.

Change to main tension and stocking stitch and work in stripes of 6 rows Contrast, 6 rows Main Shade, alternating until work measures 18½ in. from start (adjust length here).

Keeping stripes correct throughout, commence **armhole shaping** by casting off 4 [**4,** 5, **5,** 6] sts. at beg. of next 2 rows.

Dec. 1 st. at both ends of every alt. row 12 [**14,** 16, **16,** 18] times, leaving 94 [**96,** 98, **104,** 106] sts.

Continue without further shaping until work measures 7½ [**8,** 8½, **9,** 9½] in. from start of armhole shaping.

Shape shoulders by casting off 9 [**9,** 9, **10,** 10] sts. at beg. of next 6 rows.
Cast off remaining 40 [**42,** 44, **44,** 46] sts.

RIGHT FRONT

Set tension 2 sizes finer than main tension.

Cast on 54 [**58,** 62, **66,** 70] sts. in Main Shade and work 10 rows in single rib.

Change to main tension and work striped pattern as on Back until work measures same as Back to armhole shaping, ending at armhole edge.

Cast off 4 [**4,** 5, **5,** 6] sts. at beg. of next row, then dec. 1 st. at armhole edge on next and every alt. row 12 [**14,** 16, **16,** 18] times, and **at the same time** dec. 1 st. at front edge on next and every following 4th row until armhole shapings are completed. Continue dec. on every 4th row from previous dec. at front edge **only** until 27 [**27,** 27, **30,** 30] sts. remain.

Continue without further shaping, keeping stripes correct, until work measures same as Back to shoulder shaping, ending at armhole edge.

Cast off 9 [**9,** 9, **10,** 10] sts. at beg. of next and following 2 alt. rows.

LEFT FRONT

Work to match Right Front reversing shapings.

ARMBANDS

Set tension 2 sizes finer than main tension.

Using Main Shade, cast on 156 [**164,** 168, **180,** 192] sts. and work 10 rows in single rib.

Cast off loosely.

Note: If necessary, Armbands can be worked in 2 pieces and joined on the shoulder.

TO MAKE UP

Block and press on wrong side following instructions on the ball band, omitting ribbing. Using a fine backstitch seam join shoulder seams. Using flat seam for ribbing and a fine backstitch seam for remainder, join side seams and Armbands. Stitch Armbands in position.

FRONT FACING STRIP

Set tension 2 sizes finer than main tension.

Using Main Shade, cast on 12 sts. and work in single rib until sufficient has been worked to fit up Fronts and round back of neck when slightly stretched.

Cast off.

Stitch Facing Strip in position. Press seams.

DRESS

To fit bust	in.	34	**36**	38	**40**	42
Length from top of shoulders (adjustable from lower edge to armhole)	in.	32	**33**	34	**35**	36
Sleeve seam (not including cuff) (adjustable)	in.	16	**16**	16	**16**	16
Depth of cuff	in.	4	**4**	4	**4**	4
Patons Purple Heather 4 ply or **Patons Trident 4 ply**						
Main Shade	× 25 gram balls	21	**22**	23	**24**	26
Contrast	× 25 gram balls	2	**2**	3	**4**	4

Two No. 13 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.
20 press studs for cuffs, 1 toning leather belt if desired.

Tension
7 sts. to 1 inch measured over stocking stitch on main tension.
See page 2 for Abbreviations.

continued on page 14

Two-way fashion

continued from page 13

Sizes
The figures in square brackets [ ] refer to the **36,** 38, **40** and 42 sizes.

BACK

Set tension 2 sizes finer than main tension.

Using Main Shade, cast on 136 [**142,** 150, **156,** 164] sts.

Work 6 rows in single rib, or alternatively rib by hand on No. 13 needles.

Change to main tension and work in stocking stitch until work measures 6½ [6½, 7, **7,** 7½] in. from start (adjust length here).

Continue in stocking stitch, dec. 1 st. at each end of next and every following 16th row until 126 [**132,** 140, **146,** 154] sts. remain.

Continue on these sts. until work measures 23½ [**24,** 24½, **25,** 25½] in. from start.

Shape raglans as follows:—
Cast off 4 [**4,** 5, **5,** 6] sts. at beg. of next 2 rows **.

Using single transfer tool, dec. 1 st. at both ends of next and every alt. row until 38 [**40,** 42, **44,** 46] sts. remain.
Cast off.

FRONT

Work as Back to **.

Using single transfer tool, dec. 1 st. at both ends of next and every alt. row until 58 [**60,** 62, **64,** 66] sts. remain.

Cast off centre 18 [**20,** 22, **24,** 26] sts., leaving 20 sts. on each side.

Work on one set of sts. at a time.

Continue with raglan shapings as before, **at the same time** dec. 1 st. at neck edge on every alt. row until 2 sts. remain. Work 1 row. Fasten off.

Rejoin yarn to remaining sts. and work to match first half.

SLEEVES

Using single bed 1 size finer than main tension and Main Shade, cast on 94 [**98** 104, **108,** 114] sts.

Work in stocking stitch at main tension until work measures 16 in. from start (adjust length here).

Cast off 4 [**4,** 5, **5,** 6] sts. at beg. of next 2 rows, then **shape raglan top** as for Back with single transfer tool on next and every alt. row until 6 sts. remain.

Cast off.

Work a second sleeve to match.

CUFFS

Using single bed, one size finer than main tension and Main Shade, cast on 64 sts.

Working in stocking stitch in stripes of 6 rows, alternating Main and Contrast shades until 15 stripes have been worked.

Cast off.

Work a second Cuff to match.

COLLAR

Using single bed and Main Shade, cast on 126 [**128,** 130, **132,** 134] sts.

Work in stripes as for Cuff on main tension until 24 stripes have been worked.

Cast off.

If desired a shallower Collar can be worked with fewer stripes.

TO MAKE UP

Block and press each piece on wrong side following instructions on the ball band.

omitting ribbing. Using a flat seam for ribbing and a fine back-stitch seam for remainder, join raglan, side and sleeve seams, leaving 2 inches approx. open at bottom of sleeve seam. Gather lower edge of Sleeves to fit cuff size, allowing 1½ in. for overlap. Fold cuffs in half lengthways, wrong side out, and join side seams. Press.

Join for approximately 1½ in. along open edge for overlap.

Turn cuffs to right side.

Set Cuffs in position and stitch on both sides. Stitch 10 press studs, double row on overlap.

Fold Collar in half and join side edges. Press.

Placing seam at centre back, attach to neck opening with right sides facing, then fold in half and slip stitch in position on wrong side of work. Press seams.

Classic get-together

round or V-neck playtime favourites

To fit chest/bust	in.	22	**24**	26	**28**	30	**32**
Length at centre back (adjustable from welt to armhole)	in.	12½	**14**	15½	**17**	18½	**20**
Sleeve seam (adjustable)	in.	8	**9½**	11	**12½**	14	**15½**
Patons Nylox 3 ply, Patonised							
V Neck Version	×1 oz. balls	4	**5**	5	**6**	7	**7**
or	×25 gram balls	5	**6**	6	**7**	8	**8**
Round Neck Version	×1 oz. balls	4	**5**	6	**6**	7	**8**
or	×25 gram balls	5	**6**	7	**7**	8	**9**

Two No. 13 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge, for ribbing if worked by hand.

Tension
8 sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the **24,** 26, **28,** 30 and **32** sizes.

BACK

Set tension 2 sizes finer than main tension.

Cast on 100 [**108,** 116, **124,** 132, **140**] sts.

Work in single rib for 2 in., or alternatively rib by hand on No. 13 needles.

Change to main tension and stocking stitch until work measures 7 [**8,** 9, **10,** 11, **12**] in. from start (adjust length here).

Shape raglans
Cast off 3 [**3,** 4, **4,** 4, **4**] sts. at beg. of next 2 rows **.

Using treble transfer tool, dec. 1 st. at each end of next and every alt. row until 30 [**32,** 32, **34,** 36, **38**] sts. remain.

Work 1 row.

Cast off.

FRONT

Work as Back to. **

Round Neck Version.

Using treble transfer tool for armhole edge **only,** dec. 1 st. at each end of next and every alt. row until 46 [**50,** 54, **58,** 62, **66**] sts. remain.

Cast off centre 16 [**16,** 18, **18,** 20, **20**] sts.

Work on first group of sts. as follows:—

Still dec. at armhole edge as before, dec. 1 st. at neck edge on every alt. row until 5 [**5,** 8, **8,** 9, **9**] sts. remain.

Continue dec. at armhole edge **only** until 2 sts. remain, **noting** that when 3 sts. remain dec. will be worked at armhole **edge.** Work 1 row. Cast off.

Rejoin yarn to remaining group of sts. and work to match first half reversing shapings.

V-Neck Version

Divide for neck, with 47 [**51,** 54, **58,** 62, **66**] sts. on each side.

Work on first group of sts. as follows:—

Using treble transfer tool for armhole edge **only** dec. 1 st. at armhole edge on next and every alt. row, **at the same time** dec. 1 st. at neck edge on every 4th [**4th,** 5th, **5th,** 5th, **5th**] row until 8 [**9,** 5, 5, 5, **6**] sts. remain.

Continue dec. at armhole edge **only** until 2 sts. remain, **noting** that when 3 sts. remain dec. will be worked at armhole **edge.** Work 1 row. Cast off.

Rejoin yarn to remaining group of sts. and work to match first half reversing all shapings.

SLEEVES

Set tension 2 sizes finer than main tension.

Cast on 56 [**58,** 60, **62,** 64, **66**] sts.

Work in single rib for 30 rows.

Change to main tension and work in stocking stitch.

Inc. 1 st. at each end of every 6th [**6th,** 7th, **7th,** 7th, **7th**] row until there are 76 [**82,** 88, **94,** 100, **106**] sts.

Work without further shaping until sleeve seam measures 8 [**9,** 11, **12½,** 14, **15½**] in. (adjust length here).

Shape top

Cast off 3 [**3,** 4, **4,** 4, **4**] sts. at beg. of next 2 rows.

Using treble transfer tool, dec. 1 st. at each end of next and every alt. row until 6 [**6,** 4, **4,** 4, **4**] sts. remain.

Work 1 row.

Cast off.

ROUND NECKBAND

Set tension 2 sizes finer than main tension.

Cast on 90 [**96,** 102, **108,** 116, **122**] sts.

Work in single rib for 30 rows.

Cast off loosely in rib.

V-NECKBAND

Set tension 2 sizes finer than main tension.

Cast on 82 [**88,** 94, **100,** 106, **112**] sts. Work in single rib for 12 rows, dec. 1 st. at same edge on every row.

Cast off in rib.

Work a second piece to match.

Join sloping edges and straight edges.

TO MAKE UP

Block and press each piece on wrong side following instructions on the ball band, omitting ribbing.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join side and sleeve seams and stitch sleeves in position.

Round Neck (Machine knitting).
Join side edge of ribbing, set in evenly round neck and stitch in position, fold in half to wrong side and slip stitch in position.

V-Neck (Machine knitting).
Place joined sloping edge to V and joined straight edge to centre back and stitch in position.

Round Neck (Hand knitting).
Knit up sts. evenly round neck and rib as directed.

V-Neck (Hand knitting).
Knit up sts. all round, including 1 st. at centre V.

Rib 12 rows, dec. 1 st. at both sides of centre K. st. on every row.

Cast off in rib.

Press seams.



Father's sporty sweater

colour stripes on white are very smart

To fit chest	in.	36	**38**	40	**42**	44
Length at centre back (approximately)	in.	23¼	**23¾**	24¼	**24¾**	25¼
Sleeve seam (approximately)	in.	18½	**18½**	18½	**18½**	18½
Patons Purple Heather 4 ply or **Patons Trident 4 ply**						
Ground Shade	× 25 gram balls	12	**13**	14	**15**	16
1st Contrast	× 25 gram balls	3	**3**	4	**4**	5
2nd Contrast	× 25 gram balls	3	**3**	4	**4**	5
3rd Contrast	× 25 gram balls	2	**2**	3	**4**	4

Set of 4 No. 12 MILWARD DISC needles measured by BEEHIVE gauge for ribbing if worked by hand.

Tension
7 sts. to 1 inch, measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Special Note—All needles whether in W.P., N.W.P., or R.P. count as 1 stitch. Ribber attachment or No. 12 knitting needles may be used if desired.

Sizes
The figures in square brackets [ ] refer to the **38,** 40, **42** and 44 sizes.

BACK

Working at 3 sizes finer than main tension, cast on 134 [**138,** 146, **150,** 158] sts. in Ground Shade and work 2¼ in. K.1, P.1 rib.

Change to main tension and work in **striped patt.** as follows:—

1st to 10th row—In G.S., work in stocking stitch.

11th to 14th row—Set needle bed as follows:— * 3 W.P., 1 R.P., rep. from * to last 2 needles, 2 W.P., in 1st C., work all across.

15th to 16th row—All needles back to W.P. in 3rd C., work all across.
17th to 20th row—As 11th to 14th.
21st to 30th row—As 1st to 10th.

31st to 40th row—Using 2nd C. in place of 1st C., work as 11th to 20th row. These 40 rows form patt.

Continue in patt. until 4 complete patts. have been worked (approx. 15 in.)

Shape armholes as follows:—

Keeping patt. correct, cast off 5 [**5,** 5, **5,** 5] sts. at beg. of next 2 rows.

Now dec. 1 st. at each end of next and every following 4th row until 106 [**106,** 114, **112,** 120] sts. remain, then every alt. row until 36 [**38,** 40, **42,** 44] sts. remain. Cast off.

FRONT

Work as for Back until 80 [**82,** 84, **86,** 88] sts. remain in raglan shaping.

Shape neck by casting off centre 20 sts, and work on **each** group of 30 [**31,** 32, **33,** 34] sts. as follows:—

Dec. 1 st. at neck edge on next and every alt. row, **at the same time** dec. 1 st. at armhole edge on every alt. row until 16 [**15,** 14, **13,** 12] sts. remain.

Keeping neck edge straight, continue dec. at armhole edge as before until all sts. are worked off.

SLEEVES

Working at 3 sizes finer than main tension, cast on 66 [**70,** 70, **74,** 74] sts. in G.S. and work 2½ in. K.1, P.1 rib, inc. 1 st. at end of last row (67 [**71,** 71, **75,** 75] sts.).

Change to main tension and work in striped patt. as for Back, **noting** that first set needle bed row will end with 3 W.P. in place of 2 W.P., **at the same time** keep patt. correct and **shape sides** by inc. 1 st. at each end of 3rd [**11th,** 7th, **11th,** 11th] row and every following 9th [**9th,** 8th, **8th,** 7th] row until there are 111 [**113,** 119, **121,** 127] needles in work.

Continue on these sts. until 5 complete patts. have been worked.

Shape top by casting off 5 [**5,** 5, **5,** 5] sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next and every following 4th row until 83 [**81,** 87, **83,** 89] sts. remain, then every alt. row until 13 sts. remain. Cast off.

POLO COLLAR

(Machine Knitting)

Working at 3 sizes finer than main tension, cast on 162 [**168,** 174, **180,** 186] sts. in G.S. and work 6 in. K.1, P.1 rib. Cast off loosely.

TO MAKE UP

Block and press each piece lightly on wrong side following instructions on the ball band, omitting ribbing.

Using a flat seam for ribbing and a fine back-stitch seam for remainder join raglan, side and sleeve seams. Join sides of collar together with a flat seam and sew round neck, placing seam at centre back of neck.

POLO COLLAR

(Hand Knitting)

With right side facing, G.S. and the set of No. 12 needles, starting at top of left sleeve, work as follows:—

Pick up and K.13 sts. from top of left sleeve, 40 [**42,** 44, **46,** 48] down left side of neck, 20 from centre, 40 [**42,** 44, **46,** 48] up right side of neck, 13 from top of right sleeve and 36 [**38,** 40, **42,** 44] from Back (162 [**168,** 174, **180,** 186] sts.).

Work 6 in. in rounds of K.1, P.1 rib. Cast off loosely in rib. Press seams.

Good stroller looks

with zipped ribbed fronts, wide casual collar and comfortable patterned pockets

To fit bust		in.	34–35	36–37	38–39	40–41
		cm	86–89	93–94	96–99	101–104
Length at centre back (adjustable)		in.	26½	27	27½	28
		cm	67	69	70	71
Sleeve seam (adjustable)		in.	17	17	17	17
		cm	43	43	43	43
Patons Fiona	× 50 gram balls		9	9	9	10

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.

24 inch open-ended Lightning zip.

Tension

6 sts. to 1 inch (2 cm) measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes

The figures in square brackets [ ] refer to the 36–37, 38–39 and 40–41 (93–94, 96–99, 101–104) sizes.

POCKETS (2)

Set tension 2 sizes finer than main tension.

Cast on 48 sts.

Work in single rib for 6 rows, or alternatively rib by hand on No. 11 needles.

Change to main tension.

Set needle bed as follows:—

Place 9th, 16th, 21st, 28th, 33rd and 40th sts. out of work by transferring them to an adjacent latchet hook, leaving the appropriate hook out of work.

Effective number of sts. now 42.

Work 2 rows.

On next row cable the 3 panels of 6 sts. 3 × 3 using 2 treble transfer tools.

Work over and back (2 rows) (referred to as cable rows).

Work 6 rows.

Repeat the last 8 rows 4 times more.

Work 2 cable rows.

Work 2 rows.

Cast off.

BACK

Set tension 2 sizes finer than main tension.

Cast on 114 [120, 126, 132] sts.

Work 20 rows in single rib.

Change to main tension and work in stocking stitch until work measures 18 in. (46 cm) from start (adjust length here).

Shape raglans by casting off 6 [6, 7, 7] sts. at beg. of next 2 rows.

Using the treble transfer tool, dec. 1 st. at each end of next and every alt. row until 36 [38, 38, 40] sts. remain.

Work 1 row.

Cast off.

RIGHT FRONT

Set tension 2 sizes finer than main tension.

Cast on 47 [50, 53, 56] sts.

Work in single rib for 20 rows.

Change to main tension and work in stocking stitch until work measures same as Back to start of armhole shaping, ending at armhole edge.

Shape raglan by casting off 6 [6, 7, 7] sts. at beg. of next row.

Using the treble transfer tool, dec. 1 st. at armhole edge on next and every alt. row until 15 [17, 17, 19] sts. remain, ending at neck edge.

Keeping raglan shaping correct, **at the same time** dec. 1 st. at neck edge on next and every alt. row until 1 st. remains.

Work 1 row.

Fasten off.

LEFT FRONT

Work to match Right Front reversing all shapings.

SLEEVES

Set tension 2 sizes finer than main tension.

Cast on 58 [62, 66, 70] sts.

Work 30 rows in single rib.

Change to main tension.

Work 20 rows in stocking stitch.

Continue in stocking stitch, inc. 1 st. at both ends of next and every following 7th [7th, 6th, 6th] row until there are 86 [90, 96, 100] sts.

Continue without further shaping until work measures 17 in. (43 cm) from top of ribbing (adjust length here).

Shape raglan top by casting off 6 [6, 7, 7] sts. at beg. of next 2 rows.

Using the treble transfer tool, dec. 1 st. at both ends of next and every alt. row until 8 sts. remain **(all sizes).**

Work 1 row.

Cast off.

COLLAR

Set tension 2 sizes finer than main tension.

Cast on 78 sts.

Work 6 rows in single rib.

Change to main tension.

Leaving 5 sts. at each end of work, set needle bed as for Pocket with the appropriate sts. out of work.

Work in cable pattern as for Pocket until work measures 11 in. (28 cm) from start.

Cast off.

TO MAKE UP

Block and press each piece lightly on wrong side following instructions on the ball band, omitting ribbing.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join side and sleeve seams and stitch Sleeves in position. Turn ribbing at lower edge of sleeves to wrong side and slip stitch in position.

Place right side of collar at ribbed edge to wrong side of work and stitch in position from start of neck shaping on both sides.

FACING STRIPS (2)

Measure length from lower edge to top of collar when folded in half.

Set tension 2 sizes finer than main tension.

Cast on 40 sts.

Work in 2 strips of rib to measured length.

Cast off.

TO COMPLETE MAKE UP

Stitch strips in position, then fold Collar in half and stitch in position on the under side with right side of garment facing.

Stitch zip in position.

Using a flat seam stitch Pockets in position.

If Belt is to be worn, make 2 belt loops at waist line.

Press seams.

Tiny two-some

continued from page 11

Work straight until Front measures 10 in. ending at armhole edge.

Shape neck as follows:—

Place last 6 sts. on to safety pin for neck border.

Work 1 row.

Now dec. 1 st. at neck edge on next and every alt. row until 15 sts. remain.

Work a few rows straight until Front matches Back at armhole edge, ending at this edge.

Shape shoulder by casting off 8 sts. at beg. of next row.

Work 1 row. Cast off remaining 7 sts.

RIGHT FRONT

Work to correspond with Left Front reversing all shapings, **noting** that placing of panel patt. from left side will be 11th st. on 12th.

SLEEVES

Working at 1 size finer than main tension, cast on 41 sts. and **work picot hem.**

Change to main tension and work 3 rows inc. 1 st. at beg. of 1st row (42 sts.).

Work 8 rows border patt.

Continue in stocking stitch, **shaping sides** by inc. 1 st. at each end of next and every following 6th row until there are 54 sts.

Work a few rows straight until sleeve seam measures 5 in.

Shape top by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 28 sts. remain.

Cast off 3 sts. at beg. of next 6 rows.

Cast off remaining 10 sts.

FRONT BORDERS

Left—With No. 12 needles, cast on 5 sts. and work in garter stitch, i.e. every row knit, until strip fits up left front to start of neck shaping when slightly stretched; sew in position as you go along.

Leave sts. on safety-pin at top.

Right—Work as for Left with the addition of 3 buttonholes.

First mark position of buttons with pins on left border, the first to come $6\frac{1}{4}$ in. up from lower edge, 3rd $1\frac{1}{4}$ in.

continued on page 31





Short and sunny

pretty round-neck sweater to wear through the summer



To fit bust	in.	34	36	38	40
Length from top of shoulders (approx.)	in.	21½	22	22½	23
Sleeve seam	in.	5	5	5	5
Patons Purple Heather 4 ply	× 25 gram balls	12	13	14	15

Two No. 13 BEEHIVE or MILWARD DISC needles measured by BEEHIVE gauge for ribbing if worked by hand.

Tension

7½ sts. to 1 inch measured over stocking stitch on main tension.

***Note**

Special design for double-bed machine.

See page 2 for Abbreviations.

Sizes

The figures in square brackets [ ] refer to the 36, 38 and 40 sizes.

BACK

Using 3 sizes finer than main tension, cast on 131 [139, 145, 153] sts.

Work 2 in. in single rib, or alternatively rib by hand on No. 13 needles.

Change to main tension and work in stocking stitch until work measures 12½ in. from start.

Shape raglans by casting off 5 [5, 6, 6] sts. at beg. of next 2 rows.

Using a 5 transfer tool, dec. 2 sts. at both ends of 3rd row following and every following 5th row until 41 [45, 45, 49] sts. remain.

Cast off.

FRONT

Work as Back with centre 15 sts. as on Chart until 11 [11, 11, 12] patts. in all have been worked, **noting** that raglan shapings are started when 12½ in. from lower edge have been worked. Continue until 69 [73, 73, 77] sts. remain at raglan shaping.

Cast off centre 15 sts. loosely and work on **each** group of 27 [29, 29, 31] sts. as follows:—

Dec. 2 sts. at armhole edge as before, **at the same time** dec. 1 st. at neck edge on every alt. row until 11 [13, 13, 15] dec. **in all** have been worked at neck edge.

Continue dec. at armhole edge **only** until 2 sts. remain **noting** that a two transfer tool will have to be used when 6 sts. remain. Cast off.

SLEEVES

Using 3 sizes finer than main tension, cast on 85 [87, 89, 91] sts. and work 1 inch in single rib.

Change to main tension

Work in stocking stitch, inc. 1 st. at both ends of 6th [6th, 3rd, next] row following and every following 3rd row until there are 105 [109, 115, 119] needles in work.

Continue on these sts. until work measures 5 in. from start.

Shape raglan top as on Back until 15 sts. remain.

Cast off loosely.

NECKBAND

Using 3 sizes finer than main tension, cast on 141 [147, 153, 159] sts.

Work 10 rows single rib

Change to 1 size finer than main tension.

All needles Back and Front in W.P. for stocking stitch (141 [147, 153, 159] needles Back, 141 [147, 153, 159] needles Front). Work 6 rows in stocking stitch on Back bed only, break off yarn.

Work 6 rows in stocking stitch on Front bed only, break off yarn.

Using an oddment of yarn, knit a few rows on double bed, and take work from machine.

TO MAKE UP

Block and press each piece on wrong side following instructions on the ball band, omitting ribbing. Using a flat seam for ribbing and a fine back-stitch seam for remainder, join side and sleeve seams and stitch Sleeves in position. Unravel oddment of yarn on Neckband, flat stitch sides together.

Using a back stitch through sts., stitch Neck band in position on right side with seam at centre back. Using a flat seam stitch in position on wrong side. Press seams.

15 st. Panel Patt.
16 Rows



↗ =Hang 1st to the right leaving empty needle in W.P.

↖ =Hang 1st to the left leaving empty needle in W.P.

1 sq { =1 st. =2 rows =RC 2

C=Centre of patt.

Always in demand

zipped and comfortable and smart in two colours

To fit chest	in.	38	40	42
Length from top of shoulders (adjustable from welt to armhole)	in.	22	22½	23
Patons Fiona				
Main Shade	× 50 gram balls	3	4	4
Contrast	× 50 gram balls	3	3	3

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.
14 inch Lightning open-ended zip.

Tension

7 sts. to 1 inch measured over stocking stitch on main tension.

Note: This is a firmer tension than usual for Fiona to ensure a closer fabric.

See page 2 for Abbreviations.

Sizes

The figures in square brackets [ ] refer to the medium and large sizes.

BACK

Using 2 sizes finer than main tension and Main Shade, cast on 141 [149, 157] sts.

Work in single rib for 1½ in., or alternatively rib by hand on No. 11 needles.

Change to main tension and two colour patt. thus:—

1st to 4th row—Work in stocking stitch in Main Shade.

5th and 6th rows—Place centre and every subsequent 6th needle out of work, knit in Contrast.

7th and 8th rows—Return all needles to W.P., knit in Contrast.

9th and 10th rows—Place 3rd from centre and subsequent 6th needle out of work, knit in Main Shade.

11th and 12th rows—Return all needles to W.P., knit in Main Shade.

5th to 12th rows inclusive form the patt.

Continue in patt. until work measures 14 in. from start (adjust length here).

Keeping patt. correct, **shape armholes** by casting off 8 [8, 8] sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next 7 rows, then every following alt. row until 95 [99, 103] sts. remain.

Work without further shaping until work measures 22 [22½, 23] in. from start.

Shape shoulders.

Cast off 11 [11, 12] sts. at beg. of next 4 rows, 10 [11, 10] sts. at beg. of next 2 rows.

Cast off remaining 31 [33, 35] sts.

FRONTS

Using 2 sizes finer than main tension and Main Shade, cast on 69 [73, 77] sts.

Work in single rib to match Back.

Change to main tension and 2 colour patt. as on Back, counting needles from centre front outwards.

Continue until work matches Back to armhole shaping, ending at armhole edge.

Cast off 8 [8, 8] sts. at beg. of next row.

Work 1 row.

Dec. 1 st. at armhole edge on next 7 rows, then on following 8 [10, 12] alt. rows, **at the same time** dec. 1 st. at neck edge on every 4th row until 32 [33, 34] sts. remain.

Continue in patt. until work matches Back to shoulder shaping, ending at side edge.

Cast off 11 [11, 12] sts. at beg. of next and following alt. row.

Work 1 row.

Cast off remaining sts.

Work a second Front to match reversing all shapings.

TO MAKE UP

Block and press each piece lightly on wrong side following instructions on the ball band omitting ribbing.

Use tapestry needle and 12 in. lengths of yarn for make up, taking care the yarn remains twisted during make-up.

Using a fine back-stitch seam join shoulder seams.

FRONT FACING

Using rib tension, cast on 8 sts. and work a strip in Main Shade to fit up Right Front, round back of neck and down Left Front when slightly stretched.

Cast off in rib.

Alternatively, using No. 11 needles, knit up sts. evenly all the way round and work 6 rows in single rib.

Stitch Machine-knitted facing in position.

Stitch zip in position.

ARMBANDS

Using rib tension, cast on 172 [180, 188] sts. and work 6 rows in rib. Cast off in rib.

If necessary, work in 2 halves of 86 [90, 94] sts. and join, or alternatively knit up sts. with No. 11 needles and rib by hand.

TO COMPLETE MAKE UP

Stitch Machine-knitted Armbands in position.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join side seams. Press seams.

Slipover to match father's

a useful slipover to wear on its' own or under a jacket

To fit chest	in.	22	**24**	26	**28**	30	**32**
Length from top of shoulders (adjustable from welt to armhole)	in.	12½	**13¼**	15	**16¼**	17½	**19**
Patons Nylox 3 ply, Patonised	× 1 oz. balls	3	**4**	4	**5**	5	**6**
or	× 25 gram balls	4	**5**	5	**6**	6	**7**

Two No. 13 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.

Tension
8 stitches to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [] refer to the **24,** 26, **28,** 30 and **32** sizes.

BACK

Set tension 2 sizes finer than main tension.

Cast on 100 [**108,** 116, **124,** 132, **140**] sts.

Work in single rib for 2½ in., or alternatively rib by hand for 2½ in. on No. 13 needles.

Change to main tension and stocking stitch until work measures 8 [**8½,** 10, **10¾,** 11½, **12½**] in. from start (adjust length here).

Shape armholes by casting off 3 [**4,** 4, **5,** 6, **6**] sts. at beg. of next 2 rows. ***

Dec. 1 st. at each end of next and every alt. row until 74 [**80,** 86, **90,** 94, **100**] sts. remain.

Continue without further shaping until work measures 4½ [**4¾,** 5, **5½,** 6, **6½**] in. from start of armhole shaping.

Shape shoulders by casting off 7 [**8,** 9, **9,** 9, **11**] sts. at beg. of next 2 rows, 7 [**8,** 9, **9,** 10, **10**] sts. at beg. of next 4 rows.

Cast off remaining 32 [**32,** 32, **36,** 36, **38**] sts.

FRONT

Work as Back to *** (94 [**100,** 108, **114,** 120, **128**] sts.).

Divide for V with 47 [**50,** 54, **57,** 60, **64**] sts. on each side.



Work on first group of sts. as follows:—

Dec. 1 st. at armhole edge on next and every alt. row, **at the same time** dec. 1 st. at front edge on next and every 3rd row until 30 [**33,** 36, **37,** 38, **41**] sts. remain.

Continue dec. at front edge **only** on every 3rd row until 26 [**27,** 29, **30,** 31, **31**] sts. remain.

22, **24,** 26, **28** and 30 **inch sizes only.**

Continue dec. at front edge on every alt. row until 21 [**24,** 27, **27,** 29] sts. remain.

All sizes.
Continue without further shaping until work measures same as Back to shoulder shaping, ending at armhole edge.

Shape shoulder by casting off 7 [**8,** 9, **9,** 9, **11**] sts. at beg. of next row, 7 [**8,** 9, **9,** 10, **10**] sts. at beg. of following 2 alt. rows.

continued on page 27

Smart looks for the casual scene

stripes add distinction to this elegant trouser two-piece

CARDIGAN				
To fit bust	in.	32	34	36
Length from top of shoulders	in.	23	23½	23½
Patons Purple Heather 4 ply or **Patons Trident 4 ply**				
Main Shade	× 25 gram balls	6	7	8
Contrast	× 25 gram balls	2	3	4
TROUSERS				
To fit hips	in.	34	36	38
Inside leg (adjustable)	in.	28	28½	29
Patons Purple Heather 4 ply or **Patons Trident 4 ply**				
Main Shade	× 25 gram balls	11	12	13
Contrast	× 25 gram balls	2	2	2

Two No. 12 BEEHIVE or MILWARD DISC needles measured by BEEHIVE gauge, 1 stitch-holder, 5 buttons, Length of elastic for waist of trousers.

Tension

6¾ sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes

The figures in square brackets [ ] refer to the medium and large sizes.

CARDIGAN

BACK

Working 2 sizes finer than main tension, cast on 112 [118, 124] sts. in M.S. and work 13 rows.

** Join in C. and work stripes as follows:— 2 rows C., 4 rows M.S., 2 rows C., 4 rows M.S.

Change to main tension and work 6 rows M.S.

Now work in stripes as follows:— 2 rows C., 4 rows M.S., 2 rows C., 10 rows M.S.

These 18 rows form stripe patt.

Work straight in stripe patt. until Back measures 15 in. from first stripe. **

Shape armholes by casting off 7 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 72 [76, 80] sts. remain.

Work straight until Back measures 23 [23½, 23½] in. from start of stripes.

Shape shoulders by casting off 6 [7, 7] sts. at beg. of next 4 rows, then 7 [6, 7] sts. at beg. of following 2 rows. Place remaining sts. on stitch-holder.

LEFT FRONT

Working 2 sizes finer than main tension, cast on 55 [58, 61] sts. in M.S. and work 13 rows.

Work as for Back from ** to **.

Shape armhole and front slope as follows:—

Cast off 7 sts. at beg. of next row, then dec. 1 st. at armhole edge on every alt. row, **at the same time** dec. 1 st. at neck edge on next and every following 4th row until 28 [29, 31] sts. remain.

Continue dec. at front edge on every 4th row from previous dec. until 19 [20, 21] sts. remain.

Work straight until Front matches Back, ending at armhole edge.

Shape shoulder by casting off 6 [7, 7] sts. at beg. of next and following alt. row, then 7 [6, 7] sts. at beg. of following alt. row. Fasten off.

RIGHT FRONT

Work as Left Front, reversing all shapings.

ARMHOLE BORDERS

Using a fine back-stitch seam join shoulders. With right side facing, No. 12 needles and M.S. pick up and K. 128 [136, 136] sts. round each armhole.

Work 6 rows K.1, P.1 rib. Cast off in rib.

TROUSERS

RIGHT LEG

Working 2 sizes finer than main tension, cast on 102 [106, 110] sts. in M.S. and work 13 rows.

Join in C. and work stripes as follows:— 2 rows C., 4 rows M.S., 2 rows C., 4 rows M.S.

Change to main tension and work stripes thus: 6 rows M.S., 2 rows C., 4 rows M.S., 2 rows C. Break C.

Continue in M.S. until work measures 11 in. from start of stripes (adjust length here).

Shape leg by inc. 1 st. at each end of next and every following 16th row until there are 116 [120, 124] sts., then every following 6th row until there are 126 [132, 138] sts.

Work a few rows straight until work measures 28 [28½, 29] in. from last stripe in contrast. Now cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 112 [118, 124] sts. remain.

Work 1 row straight. Continue dec. at back edge (i.e. right-hand side) on every alt. row, but at front edge on every following 4th row until 103 [109, 115] sts. remain.

Now keep front edge straight and continue dec. at back edge on every following 4th row from previous dec. until 90 [96, 102] sts. remain, ending at right-hand side.

Shape back. Place last 48 [54, 60] sts. in R.P.

1st row—Work across 42 sts.

2nd and every alt. row—Work to end. Place last 6 sts. in R.P.

3rd row—Work across 36 sts.

Continue in this way placing 6 sts. more on every alt. row in R.P. until 6 sts. remain.

continued on page 28

Just like father's

continued from page 23

Rejoin yarn to remaining group of sts. and work to match first side reversing all shapings.

ARMBANDS

Set tension 2 sizes finer than main tension

Cast on 100 [**104,** 108, **116,** 124, **132**] sts.

Work in single rib for 10 rows.

Cast off in rib.

NECKBAND

Set tension 2 sizes finer than main tension.

Cast on 132 [**136,** 140, **148,** 160, **172**] sts.**

Work 10 rows in single rib, dec. 1 st. at each end of every row.

If necessary, work in 2 halves, casting on 66 [**68,** 70, **74,** 80, **86**] sts., and dec. 1 st. at the same end of every row.

Join straight edges.

If ribbing by hand, first join right shoulder seam, then **knit up** sts. as at **, in addition **knit up** 1 st. from centre of V, and dec. 1 st. at each side of it on every row.

TO MAKE UP

Block and press on wrong side following instructions on the ball band, omitting ribbing. Using a flat seam for ribbing and a fine back-stitch seam for remainder, join shoulder and side seams.

Stitch Neckband and Armbands in position. Press seams.

In the family

father's fine knit slipover to match junior's on page 23

To fit chest	in.	34	**36**	38	**40**	42	**44**
Length from top of shoulders (adjustable from welt to armhole)	in.	21½	**22½**	23	**24**	24½	**25½**
Patons Nylox 3 ply, Patonised	×1 oz. balls	6	**7**	7	**8**	8	**9**
or	×25 gram balls	7	**8**	8	**9**	9	**11**

Set of 4 No. 13 BEEHIVE or MILWARD DISC needles measured by BEEHIVE gauge for ribbing if worked by hand.

Tension
8 sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the **36,** 38, **40,** 42 and **44** sizes.

BACK

Set tension 2 sizes finer than main tension.

Cast on 144 [**152,** 160, **168,** 176, **184**] sts.

Work in single rib for 3 in., or alternatively rib by hand on No. 13 needles.

Change to main tension and stocking stitch and continue until work measures 13½ [**14,** 14, **14½,** 14½, **15**] in. from start (adjust length here).

Cast off 8 [**8,** 9, **10,** 10, **11**] sts. at beg. of next 2 rows. **

Dec. 1 st. at each end of next 7 [**9,** 9, **9,** 11, **11**] rows, then on every alt. row until 100 [**104,** 108, **114,** 118, **122**] sts. remain.

Continue on these sts. until work measures 21½ [**22½,** 23, **24,** 24½, **25½**] in. from start.

Shape shoulders
Cast off 10 [**11,** 11, **12,** 12, **12**] sts. at beg. of next 4 rows, then 11 [**10,** 11, **11,** 12, **13**] sts. at beg. of next 2 rows.

Cast off remaining 38 [**40,** 42, **44,** 46, **48**] sts.

FRONT

Work as Back to **.

Shape V Neck

Divide with 64 [**68,** 71, **74,** 78, **81**] sts. on each side.

Work on first group of sts. as follows:—

Dec. 1 st. at armhole edge on every row 7 [**9,** 9, **9,** 11, **11**] times, **at the same time** dec. 1 st. at neck edge on every 4th row until 56 [**57,** 60, **63,** 65, **68**] sts. remain.

Still dec. 1 st. at neck edge as before, **at the same time** dec. 1 st. at armhole edge on every alt. row until 45 [**47,** 48, **51,** 53, **54**] sts. remain.

Continue dec. at neck edge **only** until 31 [**32,** 33, **35,** 36, **37**] sts. remain.

Continue on these sts. until work matches Back to shoulder shaping, ending at armhole edge.

Cast off 10 [**11** 11, **12,** 12, **12**] sts. at beg. of next and following alt. row.

Work 1 row.

Cast off remaining sts.

Rejoin yarn to remaining group of sts. and work to match first half, reversing all shapings.

ARMBANDS (4 pieces)

Set tension 2 sizes finer than main tension.

Work in 2 halves.

Cast on 98 [**102,** 105, **108,** 114, **118**] sts.

Work 12 rows in single rib.

Cast off in rib.

Work another 3 pieces the same.

Join 2 halves together twice to make 2 Armbands.

Alternatively, join shoulder seams, **knit up** sts. with No. 13 needles and rib as above.

NECKBAND

Work in 2 halves.

Set tension 2 sizes finer than main tension.

Cast on 109 [**115,** 119, **123,** 130, **136**] sts.

Work in single rib for 12 rows, dec. 1 st. at one end of every row.

Cast off in rib.

Work a second piece to match. Join straight edges.

If working by hand, **knit up** sts. all round, including 1 st. at centre of V Rib as above, dec. 1 st. at each side of centre V st. on every row.

In the family

continued from page 27

TO MAKE UP

Block and press each piece on wrong side following instructions on the ball band, omitting ribbing. Using a flat seam for ribbing and a fine back-stitch seam for remainder, join shoulder and side seams.

Join V Neckband at sloping edges and stitch in position. Stitch Armbands in position. Press seams.

For the casual scene

continued from page 24

Next row—Work across 6 sts.

Next row—Work back.
Place all sts. in W.P.

Change to 2 sizes finer than main tension and work 22 rows across all sts. Cast off.

LEFT LEG

Work as Right Leg, reversing all shapings.

TO MAKE UP AND BORDERS

Block and press each piece lightly on wrong side following instructions on the ball band, omitting armhole ribbing on Cardigan.

Cardigan. Using a fine back-stitch seam join side seams. Fold under 13 rows at lower edge to wrong side, and slip-hem in position.

Right Border—With right side facing, No. 12 needles and M.S. pick up and K. 115 sts. to start of front slope, 66 [70, 70] sts. to shoulder, K. across 17 [18, 19] sts. from Back inc. 1 [2, 3] sts. evenly (199 [205, 207] sts.).

1st row—K.1, * P.1, K.1; rep. from * to end.

2nd row—K.2, * P.1, K.1; rep. from * to last st., K.1.

3rd row—As 1st row.

4th row—Rib 4 (cast off 3, one stitch on needle after cast off, rib 22) 4 times, cast off 3, rib to end.

5th row—In rib, casting on 3 over those cast off.

Work 2 rows more. Break M.S. Join in C. and K. 1 row, then rib 2 rows.

Cast off in rib.

Left Border—Work to correspond with right border, omitting buttonholes.

Join ends of borders at back of neck neatly. Sew on buttons.

Trousers—Using a fine back-stitch seam join front, back and leg seams.

Fold under 13 rows round each leg and slip-hem on wrong side.

Fold 11 rows to wrong side all round top and slip-hem in position, leaving an opening for elastic.

Cut elastic to fit waist and thread through hem, then join ends and sew up opening.

Press all seams and hems lightly.

Bedjacket is always welcome

loose-fitting and comfortable in a pretty lace rib design

To fit bust	in.	33–34	35–36	37–38
Length from top of shoulders (adjustable from lower edge to armhole)	in.	24½	25	25½
Sleeve seam (adjustable)	in.	14	14	14
Patons Fairytale Quickerknit Courtelle/Bri-Nylon	×20 gram balls	17	19	20

Two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge for ribbing if worked by hand.

Tension
6½ sts. to 1 inch measured over stocking stitch on main tension.

See page 2 for Abbreviations.

Sizes
The figures in square brackets [ ] refer to the medium and large sizes.

BACK

Using single bed and 2 sizes finer than main tension, cast on 109 [121, 133] sts.

Work 10 rows.

Make hem by placing each cast-on stitch loop on to its appropriate latchet hook.

Change to main tension

1st row—Move 6th stitch on to 5th hook, 8th stitch on to 9th hook, 18th to 17th, 20th to 21st etc., leaving 5 sts. at end of row.

Leave latchets in W.P. and work across.

2nd row—Work across.

These 2 rows form the patt.

Continue in patt. until work measures 16¼ in. from lower edge (adjust length here).

Keeping patt. correct, **shape raglans** by casting off 5 [5, 6] sts. at beg. of next 2 rows.

Using treble transfer tool, dec. 1 st. at each end of next and every alt. row until 35 [41, 47] sts. remain. Cast off.

LEFT FRONT

Using single bed and 2 sizes finer than main tension, cast on 55 [61, 67] sts. Work 10 rows and **make hem** as on Back.

Change to main tension
Work in patt. as on Back, leaving the extra sts. on 1st and 3rd sizes plain at front edge.

Work to match Back to start of armhole shaping, ending at side edge.

Cast off 5 [5, 6] sts. at beg. of next row.

Shape raglan by dec. 1 st. at armhole edge on every alt. row with treble transfer tool until 28 [32, 36] sts. remain, ending at neck edge.

Shape neck.
Still dec. at armhole edge as before, cast off 9 [10, 12] sts. at beg. of next row, then dec. 1 st. at neck edge on every alt. row until 5 [4, 4] sts. remain.

Continue dec. at armhole edge **only** until 2 [2, 2] sts. remain.

Cast off.

RIGHT FRONT

Work to match Left Front reversing all shapings.

SLEEVES

Using single bed and 2 sizes finer than main tension, cast on 109 sts. **(all sizes).**

Work 10 rows and **make hem** as on Back.

Change to main tension

Set needle bed as on Back and work in patt., dec. 1 st. at each end of every 8th [8th, 10th] row until 85 [87, 91] sts. remain.

Continue in patt. until sleeve seam measures 14 in. from lower edge (adjust length here).

Shape top by casting off 5 [5, 6] sts. at beg. of next 2 rows.

Using treble transfer tool, dec. 1 st. at each end of next and every alt. row until 11 [7, 5] sts. remain.

Cast off.

TO MAKE UP

Block and press each piece on wrong side following instructions on the ball band.

Using a flat seam for hems and a fine back-stitch seam for remainder, join side and sleeve seams and stitch Sleeves in position.

NECKBAND

Set tension 2 sizes finer than main tension.

Cast on 12 sts. and work a length of ribbing to fit up centre front, leave sts. on safety pin, then work a second length to match.

Stitch these in position with safety pins at top.

Knit up 113 [121, 133] sts. round neck, including sts. on safety pins and work in single rib.

On 4th row, make holes at approximately 1 inch intervals evenly round neck to take a draw thread.

Work 3 more rows in rib.

Cast off in rib.

Alternatively, rib as above by hand, using No. 11 needles.

Make a crochet or twisted cord for neck, thread through and make small tassels for each end.

Alternatively, use ribbon.

Press seams.

Classic Simplicity

graceful dress on the back cover

To fit bust	in.	33–34	35–36	37–38	39–40
Length from top of shoulders	in.	34	35	36½	37½
Sleeve seam	in.	16	16	16	16
Patons Purple Heather 4 ply	× 25 gram balls	15	17	20	21



No. 2·50 mm (12) crochet hook and 6 buttons.

Tension

6½ sts. to 1 inch measured over stocking stitch on main tension.

Sizes

The figures in square brackets [ ] refer to the 35–36, 37–38 and 39–40 sizes.

See page 2 for Abbreviations.

Note—When working rib pattern, all sts. taken into N.W.P. will be counted as a stitch when increasing and decreasing.

BACK

** Working at 1 size finer than main tension, cast on 130 [138, 146, 154] sts. and work for ¾ inch.

Change to main tension and work straight until Back measures 3 [3½, 4½, 5] in. at centre.

Shape sides by dec. 1 st. at each end of next and every following 20th row until 114 [122, 130, 138] sts. remain.

Work straight until Back measures 15 [15½, 16½, 17] in. at centre.

Work in rib with cables, setting needle bed as follows:—

* 2 W.P., 1 N.W.P., 4 W.P., 1 N.W.P., rep. from * ending 2 in W.P., transfer N.W.P. sts. on to adjacent needles. Work 6 rows straight.

Using double transfer tools, cable each set of 4 sts. on next row.

Continue in this way, cabling on every 6th row until Back measures 22½ [23, 24, 24½] in. at centre.

Work straight in rib **only** until Back measures 27 [27½, 29, 29½] in. at centre.

Shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 76 [82, 90, 96] sts. remain. **

Work straight until Back measures 33 [34, 35½, 36½] in. at centre.

Shape shoulders by casting off 7 [8, 9, 9] sts. at beg. of next 4 rows, 7 [7, 8, 10] sts. at beg. of next 2 rows (34 [36, 38, 40] sts.). Cast off.

FRONT

Work as for Back from ** to ** (76 [82, 90, 96] sts.).

Work straight until Front measures 31½ [32½, 34, 35] in. at centre.

Shape neck

Place last 48 [52, 57, 61] sts. in R.P.

Work on first group of sts. as follows:— Work 1 row straight. Dec. 1 st. at neck edge on next and every alt. row until 21 [23, 26, 28] sts. remain.

Work a few rows straight until Front matches Back at armhole edge, ending at this edge.

Shape shoulder by casting off 7 [8, 9, 9] sts. at beg. of next and following alt. row. Work 1 row. Cast off.

Rejoin yarn to remaining sts. and cast off centre 20 [22, 24, 26] sts.

Finish to correspond with first side reversing shapings.

SLEEVES

Place 50 [58, 66, 74] sts. into W.P. Set needle bed as follows:—

1st and 3rd sizes only—As for ribbing on Back.

2nd and 4th sizes only—3 W.P., * 1 N.W.P., 2 W.P., 1 N.W.P., 4 W.P.; rep. from *, ending last repeat with 3 W.P. instead of 4 W.P.

Working at 1 size finer than main tension, cast on and work 6 rows.

Change to main tension and starting with a cable row, work in rib with cables as for Back for 3 in. from start, **noting** that on **2nd and 4th sizes only** there will be 3 odd sts. at each end.

Work in rib only, shaping sides by inc. 1 st. at each end of 3rd and every following 10th row until there are 82 [90, 98, 106] sts., taking inc. sts. into rib patt.

Work straight until sleeve seam measures 16 in.

Shape top by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next and every alt. row until 38 [44, 56, 64] sts. remain.

Work 1 row. Dec. 1 st. at each end of every row until 18 sts. remain. Work 1 row straight.

Starting with a cable row, work in rib with cables as for Back for 3 [3¼, 3¾, 4] in. for saddle. Cast off.

TO MAKE UP

Block and press each piece lightly on wrong side following instructions on the ball band.

Using a fine back-stitch seam join side and sleeve seams; insert sleeves, join saddle to shoulder sts. on back, leaving front seams open.

NECK EDGING

Front—Using crochet hook, work 1 row d.c. across top of Front as follows:—

With right side facing, start at armhole edge and work across left shoulder, all round neck and across right shoulder, turn and work back. Fasten off.

Rejoin yarn at neck edge and work 2 more rows of d.c. round neck edge **only.** Fasten off.

Back—In the same way, work 1 row d.c. on Back, starting at armhole edge of right shoulder and ending at armhole edge on left shoulder, turn and work back, working extra d.c. into corners.

Work 3 buttonloops evenly spaced along each saddle, i.e. 2 ch., miss 2 d.c.

Work 1 row back, working 2 d.c. into each 2 ch. space. Fasten off.

Work 2 rows d.c. round hem and cuffs.

Press seams. Sew on buttons.

Tiny two-some

continued from page 19

below start of neck shaping and 2nd spaced evenly between.

To make a buttonhole, right side facing, K.2 yarn forward, K.2 tog., K.1.

TO MAKE UP AND NECK BORDER

Omitting garter stitch border block and press each piece on wrong side following instructions on the ball band. Using a fine back-stitch seam join shoulder, side and sleeve seams, insert sleeves.

With right side facing and No. 12 needles, work as follows:—

K.6 border sts. and 6 neck sts., then pick up and K.14 up right side of neck, K. sts. on stitch-holder, pick up and K.14 down left side, K.6 neck sts. and 6 border sts. (74 sts.).

K.6 rows, working a buttonhole as before on 2nd row. Cast off. Press seams.

Sew on buttons.

Pretty in two colours

continued from page 6



Now dec. 1 st. at each end of every 3rd row until 62 sts. remain, then every alt. row until 44 sts. remain.

Now dec. 1 st. at each end of every row until 30 sts. remain.

Cast off.

NECKBAND

Working at 2 sizes finer than main tension and M.S., cast on 101 [104, 107, 110] sts. and work 6 rows in stocking stitch.

Join in C. and work 4 rows of picot edge as for Back. Break C.

Work 8 rows stocking stitch in M.S.

Make hem. Cast off.

TO MAKE UP

Block and press each piece lightly on wrong side, following instructions on the ball band. Using a fine back-stitch seam join right shoulder, then join left shoulder for 1-inch, join side and sleeve seams; insert Sleeves.

Sew Neckband in position round neck. Work a row of double crochet along shoulder and neckband edge.

Make 3 buttonloops evenly spaced on front shoulder, to fasten shoulders and Neckband. Press seams. Sew on buttons.

Please address knitting enquiries concerning this booklet to Sarah Bell, Patons & Baldwins Limited Alloa, Scotland. Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWINS LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

09179

PATONS

No 169

PRICE CODE G

machine knits 2